



DMPS DIGITAL FLATBED PRINTER [2015-05]

www.dmps.co.kr/eng

Digital Flatbed Printing Total Solution from DMPS



DMP4275UV



SAMSUNG



AMOREPACIFIC



Cell Phone Case Printing



Promotional Company



Printing Company



95120UV



DMP3000



Printer delivery



K-PRINT WEEK2014 / KOREA



FESPA2013 / ENGLAND



SGIA2012 / USA

DMP1212-G5 UV



UV LED inkjet printer

You can print white and colors simultaneously. It can cure inks on heat sensitive substrates.

- Ricoh Gen5 4 Heads [*Option: Up to 8 Heads]
- Gantry moving type to improve printing precision
- Printing area up to 1,200mm * 1,200mm Adjustment quality of up to 1200 X 1200dpi Sensor controlled height adjustment up to 80(mm)
- Embossing printing Embossing effects make you feel three-dimensional prints on a selected area.
- Automatic Anti-static System
- Automatic media thickness measurement System








Division	Specification
Print head	Ricoh Gen5 head
Max. Print size	1,200mm x 1,200mm (47.3in x 47.3in)
Max. resolution	Up to 1200 x 1200 dpi
Print speed	45 sqm(450 sqf)/h for 4pass, 36 sqm(360 sqf)/h for 6pass
Head Clearance	80mm (3.2in)
Proudct size / Weight	(W)2000mm x (L)2700mm x (H)1500mm / 700kg (79in x 107in x H:60in / 1544lb)
Input power	AC,50HZ/60HZ , 220v (±10%) >15A
Operation system	WindowXP, WindowVista, Window7, Window8
Application software	Photoprint 10/ Colorgate





UV LED inkjet printer You can print white and colors simultaneously with DMPS Rip software.

- printing area up to 380 X 750(mm) Equipped with EPSON piezo print head.
- Outstanding print quality of up to 2880 X 1440dpi
- Sensor controlled height adjustment up to 150(mm)
- Reasonable price Since DMP4275UV is a small-size UV printer, it is space efficient and competitive price.
- Economic and fast UV LED curing
- Optional vacuum fan for holding printing substrates and Gantry moving system for incredible printing precision
- Digital system for getting the precise printing value all the time









Division	Specification
Print head	EPSON piezo print head
Max. Print size	380mm x 750mm (14,9in x 29,5in)
Max. resolution	Up to 2880 x 1440 dpi
Print speed	(A3criterion) 360x360dpi : 30seconds / 720x360dpi : 60seconds
Head Clearance	150mm (5.9in)
Proudct size / Weight	(W)840mm x (L)1,560mm x (H)1,250mm / 163kg (33in x 62in x 49in / 359lb)
Input power	120/220V AC, 10A
Operation system	WindowXP, WindowVista, Window7, Window8
Application software	Partner RIP / D Rip





- Rotary jig available (Option)
- Printing Area up to 280 X 600(mm) Suitable for the various gift items and crystal plaque.
- Outstanding print quality of up to 5760 X 1440dpi Equipped with EPSON piezo print head.
- Sensor controlled height adjustment up to 150(mm)
- Competitive price
- Economic and fast UV LED curing Economic consumables for maintenance.
- Optional vacuum fan for holding printing substrates
- Simultaneously UV LED inkjet printer You can print white and colors simultaneously with DMPS Rip software.
- Digital system for getting the precise printing value all the time









DMi

Division	Specification
Print head	EPSON piezo print head
Max. Print size	280mm x 600mm (11in x 23,6in)
Max. resolution	Up to 5760 x 1440 dpi
Print speed	(A4criterion) 720x720dpi: 60seconds / 1440x720dpi: 120 seconds / 1440x1440dpi: 240seconds
Head Clearance	150mm (5.9in) / Rotary jig 30~90mm (1.2in~3.5in)
Proudct size / Weight	(W)740mm x (L)890mm x (H)630mm / 82kg (29in x 35in x 25in / 181lb)
Input power	120/220V AC, 10A
Operation system	WindowXP, WindowVista, Window7, Window8
Application software	Partner RIP / D Rip

DMP3000 DT, SP

Solvent-Based Dye Ink (DT)

- * Dye inks are an fast-drying ink. They leave a very crisp image.
- * Application Aluminium, Plaque without primer/ Formax, Arcylic, Wood after primer
- * 8 colors ink can realize natural printing result especially on gradation parts.

Solvent-Based Dye Ink (SP)

- * Ink penetrates into meterials such as ABS, PC, PS, TPU, Synthetic leather
 – Primer no needed.
- * Applications ABS, PC, PS, TPU
- * It provides strong adhesion, anti-scratch and chemical resistance without primer.



- Printing area up to 329 X 600(mm)
- Outstanding print quality of up to 5760 X 1440dpi
- Printing of 8 colors

- Sensor controlled height adjustment up to 100 / 150(mm)
- Pause and cancel function during printing
- ISF(intelligent Substrate Feeding) system
- Automatic ink refilling system
- LM Guide Rail for high printing precision
- Halogen lamp and heating table as option available



Phone case





Wood









DMP600 DT, SP



COMPACT PRINTER !! ECONOMIC PRICE !! 5760x1440 DPI !!



Printing area up to 210 X 297(mm)

Suitable for the various gift items and crystal plaque.

Outstanding print quality of up to 5760 X 1440dpi

Equipped with EPSON piezo print head.

- Printing of 6 colors
- Sensor controlled height adjustment up to 55 / 105(mm)
- Automatic ink refilling system
- Optional halogen lamp and heating table.
- Optional vacuum Fan for holding printing substrates











Division	Specification
Print head	EPSON piezo print head
Max. Print size	210mm x 297mm (8,2in x 11,6in)
Max. resolution	Up to 5760 x 1440 dpi
Print speed	(A4criterion) 720x720dpi: 120seconds / 1440x720dpi: 240seconds
Head Clearance	55mm (2,1in) / 105mm (4,1in) with out heating plate
Proudct size / Weight	(W)520mm x (L)650mm x (H)390mm / 33kg (20in x 25in x H:15in / 72lb)
Input power	120/220V AC, 10A
Operation system	WindowXP, WindowVista, Window7, Window8
Application software	Corel DRAW / Adobe Illustrator / Adobe Photoshop / Partner RIP



DMP4275 TX





- Garment printing
- Printing area up to 420 X 750(mm)
- Outstanding print quality of up to 2880 X 1440dpi
- Printing of colors and white
- Sensor controlled height adjustment up to 150mm
- **2 T-Shirts can be printed at once**
- Automatic ink refilling system
- Automatic cleaning function
- Partner Rip included

Heat Press (Option)









Canvas bag

Jeans



Cotton T-shirts



Underwear



Canvas shoes

Division	Specification
Print head	EPSON piezo print head
Max. Print size	420mm x 750mm (16.5in x 29.5in)
Max. resolution	Up to 2880 x 1440 dpi
Print speed	(A3criterion) 360x360dpi : 30seconds / 720x360dpi : 60seconds
Head Clearance	150mm (5.9in) / 95mm (3.7in) T-shirts jig installation
Proudct size / Weight	(W)840mm x (L)1,560mm x (H)1,250mm / 163kg (33in x 62in x 49in / 359lb)
Input power	120/220V AC, 10A
Operation system	WindowXP, WindowVista, Window7, Window8
Application software	Partner RP



DMP3000 TX



- Garment printing
- Printing area up to 329 X 600(mm)
- Outstanding print quality of up to 2880 X 1440dpi
- Printing of colors and white
- Sensor controlled height adjustment up to 150mm
- Automatic ink refilling system
- Automatic cleaning function
- Partner Rip included

Heat Press (Option)















Underwear



Canvas shoes

Division	Specification
Print head	EPSON piezo print head
Max. Print size	329mm x 600mm (12,9in x 23,6in)
Max. resolution	Up to 5760 x 1440 dpi
Print speed	(A4criterion) 720x720dpi: 60seconds / 1440x720dpi: 120 seconds
Head Clearance	150mm (5.9in) / 95mm (3.7in) T-shirts jig installation
Proudct size / Weight	(W)740mm x (L)890mm x (H)630mm / 82kg (29in x 35in x 25in / 181lb)
Input power	120/220V AC, 10A
Operation system	WindowXP, WindowVista, Window7, Window8
Application software	Partner RIP



DMP-TCM



DO YOU WANT VIVID COLOR ?






Division	Specification
Dimensions	(W)490mm x (L)710mm x (H)590mm (19.2in x 27.9in x 32.2in)
Weight	38Kg
Air Compressor	No need
Nozzle	Single spray nozzle
Spray cycle time	~2seconds(depending on fluid laydown setting)
Maximum pre-treatment area	400mm x 500mm (15.7in x 19.6in)
Adjustable spray length area	20mm \sim 500mm (0.7in \sim 19.6in)
Adjustable pre-treatment fluid application	35g to 7g for 400mm x 500mm (15.7in x 19.6in)
Completely enclosed spray chamber	no misting
Tank Size	2 Liter, 2 Bottles
Packaged dimensions	530mm x 830mm x 600mm (20.8in x 32.6in x 23.6in)
Packaged weight	48kg



DMPS History of the printer













DMPS CO.,LTD.

Head Office

3F 15, Bucheon-ro 309beon-gil, Wonmi-gu, Bucheon-si, Gyeonggi-do, South Korea TEL:+82.32.677.2594 FAX:+82.32.612.9563 E-mail:dmps@dmps.co.kr

EUROPE

WALLBURG GMBH LASERZENTRUM

Fontanstrasse 1076669 Bad Schönborn, Germany TEL: +49 (0) 7253-94 46-0 Fax: +49 (0) 7253-94 46-46 E-mail: jwallburg@wallburg.net

www.dmps.co.kr/eng

USA Office DMPS USA INC 1421 E.Sunset Rd. #20 Las Vegas NV89119 USA TEL : 702.616.2442 Fax : 702.616.2449 E-mail : dmpsusa@dmps.co.kr

www.dmps.co.kr/eng